


This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently Amended). A compound having the structure (1):




and tautomers, solvates and salts thereof, wherein

R^1 is an oligonucleotide, a protecting group, a linker or -H;

R^2 is $A(Z)_{x1}$, wherein A is a spacer and Z independently is a label bonding group optionally bonded to a detectable label, but R^2 is not [amine] NH2, protected [amine] NH2, nitro or cyano;

R^{27} is independently -CH=, -N=, -C(C₁-C₈ alkyl)= or -C(halogen)=, but no adjacent R^{27} are both -N=, or two adjacent R^{27} are taken together to form a ring having the structure,







where R^a is independently $-\text{CH}=\text{}$, $-\text{N}=\text{}$, $-\text{C}(\text{C}_1\text{-C}_8 \text{ alkyl})=\text{}$ or $-\text{C}(\text{halogen})=\text{}$, but no adjacent R^a are both $-\text{N}=\text{}$;


R^{34} is $-\text{O}-$, $-\text{S}-$ or $-\text{N}(\text{CH}_3)-$; and

and X^1 is 1, 2 or 3.


2 (Original). The compound of claim 1 wherein R^2 is $-\text{R}^{2\text{C}}-\text{R}^{2\text{D}}$, wherein $\text{R}^{2\text{C}}$ is a short spacer chain and $\text{R}^{2\text{D}}$ is a hydrogen bond donor moiety or a moiety having a net positive charge of at least about +0.5 at pH 6-8 in aqueous solutions.

3. (Currently Amended) The compound of claim 1, wherein R^2 is $[-\text{R}^6-(\text{CH}_2)_t\text{NR}^5\text{C}(\text{NR}^5)(\text{NR}^3)_2]$, $-\text{R}^6-(\text{CH}_2)_t\text{NR}^5\text{C}(\text{NR}^5)\text{N}(\text{R}^3)_2$, $-\text{R}^6-\text{CH}_2-\text{CHR}^{31}-\text{N}(\text{R}^3)_2$, $-\text{R}^6-(\text{R}^7)_v-\text{N}(\text{R}^3)_2$, $-\text{R}^6-(\text{CH}_2)_t-\text{N}(\text{R}^3)_2$, $-(\text{CH}_2)_{1-2}-\text{O}-(\text{CH}_2)_t-\text{N}(\text{R}^3)_2$,





R^3 is independently -H, -CH₃, -CH₂CH₃, -(CH₂)_w-N(R³³)₂ or a protecting group, or both R^3 together are a protecting group, or when R^2 is [-R⁶-(CH₂)_i-N(R³)₂], -R⁶-(CH₂)_i-N(R³³)₂ one R^3 is -H, -CH₃, -CH₂CH₃, a protecting group or -(CH₂)_w-N(R³³)₂ and the other R^3 is -H, -CH₃, -CH₂CH₃, -(CH₂)_w-N(R³³)₂, -CH(N(R³³)₂)-N(R³³)₂,



R^5 is independently H or a protecting group;

R^6 is independently -S-, -NR⁵-, -O- or -CH₂-;

R^7 is independently linear alkyl having 1, 2, 3 or 4 carbon atoms optionally substituted with one -CH≡CH-, -C=C- or -CH₂-O-CH₂- moiety, or R^7 is cyclic alkyl having 3, 4 or 5 carbon atoms, wherein one of the linear alkyl carbon atoms is optionally substituted with a single -CH₃, -CN, =O, -OH or protected hydroxyl, provided that the carbon atoms in any -CH=CH- or -CH₂-O-CH₂- moiety

are not substituted with =O, -OH or protected hydroxyl;

R⁸ is linear alkylene having 1 or 2 carbon atoms wherein one alkylene carbon atom is optionally substituted with a single -CH₃, -CN, =O, -OH or protected hydroxyl, or R⁸ is absent;

R²⁸ is independently -CH₂-, -CH(CH₃)-, -CH(OCH₃)-, -CH(OR⁵)- or -O-, but both are not -O-;

R²⁹ is independently -N-, -N(CH₃)-, -CH-, -C(CH₃)-, but both are not -N(CH₃)-;

R³⁰ is -H or -N(R³)₂;

R³¹ is the side chain of an amino acid;

R³³ is independently -H, -CH₃, -CH₂CH₃ or a protecting group;

R³⁵ is H, C₁-C₄ alkyl or a protecting group;

R³⁶ is H, -CH₃, -CH₂CH₃, a protecting group or an optionally protected monosaccharide;

t is 1, 2, 3 or 4, but when R⁶ is -O-, -S- or -NR⁵-, t is 2, 3 or 4;

v is independently 0, 1 or 2; and

w is independently 1 or 2.

4. (Previously Presented) The compound of claim 3 wherein R² is -CH₂-(CH₂)_tN(R³)₂, -NR⁵-(CH₂)_tN(R³)₂, -S-(CH₂)_tN(R³)₂, -O-(CH₂)_tN(R³)₂, [-O-(CH₂)_tNR⁵C(NR⁵)(NR³)₂,] -O-(CH₂)_tNR⁵C(NR⁵)N(R³)₂, -(CH₂)₁₋₂-O-(CH₂)_tN(R³)₂, -R⁶-CH₂-CHR³¹-N(R³)₂, -R⁶-(R⁷)_v-N(R³)₂, [-R⁶-(CH₂)_t-NR⁵C(NR⁵)(NR³)₂,] -R⁶-(CH₂)_t-NR⁵C(NR⁵)N(R³)₂, or [-CH₂-(CH₂)_tNR⁵C(NR⁵)(NR³)₂,] -CH₂-(CH₂)_tNR⁵C(NR⁵)N(R³)₂.

5 (Original). The compound of claim 4 wherein t is 2.

6 (Original). The compound of claim 5 wherein R^3 independently is -H, -CH₃, -C₂H₅ or a protecting group.

7 (Original). The compound of claim 6 wherein R^2 is -O-(CH₂)₂-NH₂, -O-(CH₂)₃-NH₂, -O-(CH₂)₂-N(CH₃)₂, -O-(CH₂)₃-N(CH₃)₂, -O-(CH₂)₂-NHCH₃, -O-(CH₂)₃-NHCH₃, -O-CH₂-CH(CH₃)-NH₂, -CH₂-O-(CH₂)₂-NH₂, -CH₂-O-(CH₂)₃-NH₂ or -(CH₂)₂-O-(CH₂)₂-NH₂.


8 (Original). The compound of claim 3 wherein t is 2 or 3.

9 (Original). The compound of claim 1 wherein R^1 comprises -H, an optionally protected monosaccharide, hydroxyl, phosphate or hydrogen phosphonate.


10 (Original). The compound of claim 1 wherein R^1 is optionally protected 2'-deoxy- R^{21} -substituted ribose, 2'-deoxyribose or ribose, wherein R^{21} is H, -OH, halogen or a moiety that enhances the nuclease stability of an oligonucleotide containing the optionally protected 2'-deoxy- R^{21} -substituted ribose, 2'-deoxyribose or ribose.

11 (Currently Amended). The compound of claim 1 having the structure designated by the numbers selected from the group consisting of (104), (105), (133), (134), (111), (112), (113), [(115)] (114), (135), (136), (137), (138), (139), (120), (121), (121A), (143), (122), (123), (125), or (126):


-continued




(104)




(111)




(105)




(112)




(133)



(113)




(134)




(114)


-continued




(135)



(136)




(137)




(138)


-continued



(120)




(143)




(122)


-continued



(123)




(126)



(125)

wherein


R^1 is an optionally protected monosaccharide; R^{2A} is $-OH$; R^5 is independently $-H$ or a protecting group; R^6 is $-O-$, $-S-$, $-NH-$ or $-CH_2-$; R^{21} is H , $-OH$, halogen or a moiety that enhances the nuclease stability of an oligonucleotide; R^{24} is a halogen; R^{27} is independently $-CH=$, $-N=$, $-C(C_1-C_8 \text{ alkyl})=$ or $[-C(\text{halogen})=] -C(\text{halogen})=$, but no adjacent R^{27} are both $-N=$, or two adjacent R^{27} are taken together to form a ring having the structure,



where

R^a is independently $-CH=$, $-N=$, $-C(C_{1-8} \text{ alkyl})=$ or $-C(\text{halogen})=$, but no adjacent R^a are both $-N=$;
 R^{34} is $-O-$, $-S-$ or $-N(CH_3)-$; R^{37} is $-O-$, $-CH_2-$ or $-CF_2-$; R^{47} is $-O-$ or $-S-$; R^{50} is $-CH_2-$, $-C(O)-$, $-(CH_2)-O-(CH_2)_2-$, $-(CH_2)_2-NR^5-(CH_2)_2-$, $-(CH_2)_2-S-(CH_2)_2-$, $-CH(N(R^5)_2)-$, $-CH(COOR^5)-$ or $-C(CH_3)-$, $-C(C_2C_5)-$ but adjacent moieties are not $C(O)$; R^{52} is $-(CHR^{52A})-(R^{52B})-CHR^{52A}-$, $-CHR^{52A}-$, $-O-CHR^{52A}-$, $-CHR^{52A}-S-CHR^{52A}-$, $-CHR^{52A}-NR^5-CHR^{52A}-$, C_1-C_{10} alkylene optionally substituted with 1 or 2 moieties selected from the group consisting of C_1C_6 alkyl, $-OR^5$, $=O$, $-NO_2$, $-N_3$, $-CN$, $-COOR^5$, or $-N(R^5)_2$, wherein any heteroatom is separated from the nitrogen atoms that R^{52} is linked to by one methylene and one or more $-CHR^{52A}-$; R^{52A} is $-H$ or C_1-C_6 alkyl; R^{52B} is a bond; R^{59} is $-R^6-R^{60}-$; R^{60} is $-(CH_2)_{Z3}-(R^{61})_{Z1}-(CH_2)_{Z2}-$; R^{61} is $-O-$, $-S-$, $-NR^5-$, $-C(O)-$, $-CH_2-O-$, $-CH_2-$, $-CH_2-NR^5-CH_2-$ or $-CH_2-S-CH_2-$; $Z1$ is 0 or 1; $Z2$ is 1, 2 or 3; $Z3$ is 1, 2 or 3; Y is 1, 2, 3 or 4; CBZ is carboxybenzoyl; Fmoc is 9-fluorenylmethoxycarbonyl; iPr is isopropyl; and Ac is acetyl.


12 (Original). The compound of claim 1 wherein R^1 is an oligo-nucleotide having the structure (2):



wherein D is $-OH$, protected $-OH$, an oligonucleotide coupling group or a solid support;


D¹ is an oligonucleotide coupling group, -OH, protected -OH or a solid support, wherein D¹ is bonded to one 2' or 3' position in the oligonucleotide of structure (2) and the adjacent 2' or 3' position in structure (2) is substituted with R²¹, provided that D and D¹ are not both an oligonucleotide coupling group or they are not both a solid support; R⁴ is independently a phosphodiester linkage or a phosphodiester substitute linkage, wherein R⁴ is bonded to one 2' or 3' position in the structure (2) oligonucleotide and the adjacent 2' or 3' position in structure (2) is substituted with R²¹;

R²¹ is independently -H, -OH, halogen or a moiety that enhances the oligonucleotide against nuclease cleavage; R³⁷ is independently -O-, -CH₂-, -CF₂-; n is an integer from 0 to 98; and B independently is a purine or pyrimidine base or a protected derivative thereof, provided that at least one B is a base of structure (3)




13 (Currently Amended). The compound of claim 12 wherein R⁴ is independently 3'-O-P(S)(S)-O-5', 3'-O-P(S)(O)-O-5', 3'-O-P(O)(O)-O-5', 3'-O-P(Me)(O)-O-5', 3'-NH-P(O)(O)-O-5', 3'-S-CH₂-O-5', 2'-S-CH₂-O-5', 3'-O-CH₂-O-5', 2'-O-CH₂-O-5', 3'-O-P(Me)(S)-O-5', 3'-CH₂-N(CH₃)-O-5', 2'-CH₂-N(CH₃)-O-5', or 3'-R³⁸-P(N₂)(O)-O-5', wherein R³⁸ independently is -O-, -CH₂- or -NH-; R³⁹ is a protecting group; [R⁴⁰ independently is hydrogen, a protecting group,

C₁-C₁₂ alkyl optionally substituted with one, or two -O-, -C(O)-, -OC(O)-, -C(O)O-, -OR⁴², -SR⁴³, -C(O)NR³⁹-, -C(O)N(R⁴¹)₂-, -NR⁴¹-, -N(R⁴¹)₂-, halo, -CN, or -NO₂ moieties, or both R⁴⁰ together with the nitrogen atom to which they are attached form







or both R⁴⁰ together are a protecting group;


R⁴¹ independently is hydrogen, a protecting group, alkyl (C₁-C₄ or both R⁴¹ together are a protecting group; R⁴² is hydrogen or a protecting group; R⁴³ is C₁₋₆ alkyl or a protecting group; and R⁴⁵ is - H, a counter ion or




R^{46} is alkyl containing 1-8 carbon atoms.]

14. (Currently Amended) The compound of claim 12, wherein R^2 is
 $[-R^6-(CH_2)_tNR^5C(NR^5)(NR^3)_2]$, $-R^6-(CH_2)_tNR^5C(NR^5)N(R^3)_2$, $-R^6-CH_2-CHR^{31}-N(R^3)_2$,
 $-R^6-(R^7)_v-N(R^3)_2$, $-R^6-(CH_2)_t-N(R^3)_2$, $-(CH_2)_{1-2}-O-(CH_2)_t-N(R^3)_2$,





R^3 is independently -H, -CH₃, -CH₂CH₃, -(CH₂)_w-N(R³³)₂ or a protecting group, or both R^3 together are a protecting group, or when R^2 is [-R⁶-(CH₂)_i-N(R³)₂]-R⁶-(CH₂)_i-N(R³³)₂, one R^3 is -H, -CH₂CH₃, a protecting group or -(CH₂)_w-N(R³³)₂ and the other R^3 is -H, -CH₃, -CH₂CH₃, -(CH₂)_w-N(R³³)₂, -CH(N(R³³)₂)-N(R³³)₂,



R^5 is independently H or a protecting group;

R^6 is independently -S-, -NR⁵-, -O- or -CH₂-;

R^7 is independently linear alkyl having 1, 2, 3 or 4 carbon atoms optionally substituted with one -CH≡CH-, -C=C- or -CH₂-O-CH₂- moiety, or R^7 is cyclic alkyl having 3, 4 or 5 carbon atoms, wherein one of the linear alkyl carbon atoms is optionally substituted with a single -CH₃, -CN, =O, -OH or protected hydroxyl, provided that the carbon atoms in any -CH=CH- or -CH₂-O-CH₂- moiety

are not substituted with =O, -OH or protected hydroxyl;

R^8 is linear alkylene having 1 or 2 carbon atoms wherein one alkylene carbon atom is optionally substituted with a single -CH₃, -CN, =O, -OH or protected hydroxyl, or R^8 is absent;

R^{28} is independently -CH₂-, -CH(CH₃)-, -CH(OCH₃)-, -CH(OR⁵)- or -O-, but both are not -O-;

R^{29} is independently -N-, -N(CH₃)-, -CH-, -C(CH₃)-, but both are not -N(CH₃)-;

R^{30} is -H or -N(R³)₂;

R^{31} is the side chain of an amino acid;

R^{33} is independently -H, -CH₃, -CH₂CH₃ or a protecting group;

R^{35} is H, C₁-C₄ alkyl or a protecting group;

R^{36} is H, -CH₃, -CH₂CH₃, a protecting group or an optionally protected monosaccharide;

t is 1, 2, 3 or 4, but when R^6 is -O-, -S- or -NR⁵-, t is 2, 3 or 4;

v is independently 0, 1 or 2; and

w is independently 1 or 2.

15. (Previously Presented) The compound of claim 14 wherein R^2 is -CH₂-(CH₂)_tN(R³)₂, -NR⁵-(CH₂)_tN(R³)₂, -S-(CH₂)_tN(R³)₂, -O-(CH₂)_tN(R³)₂, [-O-(CH₂)_tNR⁵C(NR⁵)(NR³)₂,] -O-(CH₂)_tNR⁵C(NR⁵)N(R³)₂, -(CH₂)₁₋₂-O-(CH₂)_tN(R³)₂, -R⁶-CH₂-CHR³¹-N(R³)₂, -R⁶-(R⁷)_v-N(R³)₂, [-R⁶-(CH₂)_t-NR⁵C(NR⁵)(NR³)₂,] -R⁶-(CH₂)_t-NR⁵C(NR⁵)N(R³)₂ or [-CH₂-(CH₂)_tNR⁵C(NR⁵)(NR³)₂,] -CH₂-(CH₂)_tNR⁵C(NR⁵)N(R³)₂.

16 (Original). The compound of claim 15 wherein t is 2 or 3.

17 (Original). The compound of claim 16 wherein R^3 independently is -H, -CH₃, -C₂H₅ or a protecting group.

18 (Original). The compound of claim 17 wherein R^2 is -O-(CH₂)₂-NH₂, -O-(CH₂)₃-NH₂, -O-(CH₂)₂-N(CH₃)₂, -O-(CH₂)₃-N(CH₃)₂, -O-(CH₂)₂-NHCH₃, -O-(CH₂)₃-NHCH₃, -O-CH₂-CH(CH₃)-NH₂, -CH₂-O-(CH₂)₂-NH₂, -CH₂-O-(CH₂)₃-NH₂ or -(CH₂)₂-O-(CH₂)₂-NH₂.

19 (Currently Amended). The compound of claim 12 wherein R^{21} is independently -H, -OH, halogen, protected hydroxyl, -O-methyl, O-ethyl, O-n-propyl, O-allyl, -O-(CH₂)₂-OH, -O-(CH₂)₃-OH, -O-(CH₂)₂-F, -O-(CH₂)_s-R⁶⁵, -O-(CH₂)₂-[O-(CH₂)₂]_r-R⁶⁵, [-O-(CH₂)_r-O-(CH₂)_r-O-(CH₂)_r-R⁶⁵], -O-(CH₂)_r-O-(CH₂)_r-O-(CH₂)_r-R⁶⁵, -NH-methyl, -NH-ethyl, -NH-n-propyl, -NH-(CH₂)₂OH, -NH-(CH₂)₃OH, -NH-(CH₂)_s-R⁶⁵, -S-methyl, -S-ethyl, -S-n-propyl, -S-allyl, -S-(CH₂)₂-OH, -S-(CH₂)₃-OH, -S-(CH₂)₂-F, -S-(CH₂)_s-R⁶⁵, or -S-(CH₂)₂-[O-(CH₂)₂]_r-R⁶⁵, wherein:

R^{65} is -H, -F, -OH, -OCH₃, -NH₂, -SH, protected hydroxyl, protected amino or protected thiol;

r is 1, 2, 3, or 4; and


s is 2, 3, 4, 5, 6, 7 or 8.

20 (Original). The compound of claim 19 wherein R^{21} is independently -H, -OH, -F, protected hydroxyl, -OCH₃, -O-CH₂CH₃, -O-CH₂CH₂OH, -O-CH₂CH₂F, -O-CH₂CH₂CH₃, -O-CH₂CH₂CH₂OH, -O-CH₂CH₂CH₂F, -O-CH₂CF₂H, -O-CH₂CF₃ or -O-CH₂CH₂-O-CH₃.

21 (Original). The compound of claim 12 wherein B independently are selected from the group consisting of a base of structure (3), guanosine, adenine, thymine, uracil, cytosine, 5-methylcytosine, 5-(1-propynyl)uracil, 5-(1-propynyl)cytosine, 5-(1-butynyl)uracil therefor 5-(1-butynyl)cytosine.

22 (Original). The compound of claim 12 wherein D¹ is H-phosphonate, a methylphosphonamidite, a β -cyanoethylphosphoramidite or phosphoramidite.

23 (Original). A compound having the structure (4):



and tautomers, solvates and salts thereof, wherein

R¹, R² and R²⁷ have the meanings given in claim 1;

R²⁴ is halogen;


R²⁵ is -SH, -OH, =S or =O.

24 (Original). The compound of claim 23 wherein R¹ is -H, or an optionally protected monosaccharide.

25 (Original). The compound of claim 24 wherein the optionally protected monosaccharide is 2'-deoxy-R²¹-substituted ribose, wherein R²¹ is H, -OH, halogen or a moiety that enhances the nuclease stability of an oligonucleotide containing the optionally protected 2'-deoxy-R²¹-substituted ribose, 2'-deoxyribose or ribose.

26 (Original). The compound of claim 25 wherein R²¹ is -H, -OH, -F, protected hydroxyl, -OCH₃, -O-CH₂CH₃, -O-CH₂CH₂OH, -O-CH₂CH₂F, -O-CH₂CH₂CH₃, -O-CH₂CH₂CH₂OH, -O-CH₂CH₂CH₂F, -O-CH₂CF₂H, -O-CH₂CF₃ or -O-CH₂CH₂-O-CH₃.

27 (Original). A compound having the structure (1):



or tautomers, solvates or salts thereof, wherein:


R¹ is a protecting group, an oligonucleotide, a nucleic acid, a polysaccharide, an optionally protected monosaccharide, hydroxyl, phosphate, hydrogen phosphate, halo, azido, protected hydroxyl or -H;

R² is A(Z)_{x1}, but R² is not amine, protected amine, nitro or cyano;

R⁵ independently H or a protecting group;

R²⁷ is, independently, -CH=, -N=, -C(C₁-C₈ alkyl)= or -C(halogen)=, but no adjacent R²⁷

are both -N=; or two adjacent R²⁷ are taken together to form a ring having the structure:



R³⁴ is -O-, -S- or -N(CH₃)-;

R^a is independently -CH=, -N=, -C(C₁₋₈ alkyl)= or -C(halogen)=, but no adjacent R^a are both -N=;

A is a backbone chain of 2-16 carbon atoms, any 1, 2 or 3 of which are optionally replaced with N, O or S atoms, wherein the backbone chain is optionally substituted independently with 1, 2 or 3 of the following: C₁-C₈ alkyl, -OR⁵, =O, -NO₂, -N₃, -COOR⁵, -N(R⁵)₂, or -CN groups, C₁-C₈ alkyl substituted with -OH, =O, -NO₂, -N₃, -COOR⁵, -N(R⁵)₂, or -CN groups, or any of the foregoing in which -CH₂- is replaced with -O-, -NH- or -N(C₁-C₈ alkyl);

X¹ is 1, 2 or 3;

Y is H, 2-hydroxypyridine, N-hydroxysuccinimide, p-nitrophenyl, acylimidazole, maleimide, trifluoroacetate, an imido, a sulfonate, an imine 1,2-cyclohexanedione, glyoxal or an alpha-halo ketone; and

Z independently is -NH₂, -CHO, -SH, -CO₂Y, OY.

28 (Original). The compound of claim 27 wherein Z is bonded to a detectable label.

29 (Original). The compound of claim 27 wherein R¹ is an oligonucleotide.

30 (Original). The compound of claim 27 wherein R¹ is an optionally protected monosaccharide.